


	Type	L #	Hits	Search Text	DBs
1	IS&R	L2	52805 1	(382/104).CCLS. or (("278") or ("280") or ("340") or ("301") or ("293") or ("296") or ("298") or ("701") or ("348"))).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L3	59173	2 and (camera\$4 or video\$4 or CCD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L5	251	3 and (lan\$4 near4 recogni\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L6	58	5 and (lane-marker or lane adj marker)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L7	33	6 and memor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L8	25	7 and parameter\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L9	24	8 and control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L10	24	9 and (calculat\$4 or comput\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L11	21	10 and correct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
10	BRS	L12	21	11 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
11	BRS	L13	21	12 and vehicl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
12	BRS	L14	2550	(lan\$4 near4 recogni\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
13	BRS	L15	814	14 and (camera\$4 or video\$4 or CCD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
14	BRS	L16	175	15 and (road\$4 near4 imag\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
15	BRS	L17	133	16 and (stor\$4 or memor\$4 or buffer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
16	BRS	L18	122	17 and (calculat\$4 or comput\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
17	BRS	L19	89	18 and coordinat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
18	BRS	L20	28	19 and (lane-marker or lane adj marker)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB

	Type	L #	Hits	Search Text	DBs
19	BRS	L21	28	20 and detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
20	BRS	L22	26	21 and control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
21	BRS	L23	17	22 and parameter\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
22	BRS	L24	607	15 and (stor\$4 or memor\$4 or buffer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
23	BRS	L25	53	24 and (lane-marker or lane adj marker)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
24	BRS	L26	14	25 and variation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
25	BRS	L27	4	26 and (correct\$4 near4 parameter\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
26	BRS	L28	4	26 and (correct\$4 same parameter\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
27	BRS	L29	11	25 and (correct\$4 near4 parameter\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB

	Type	L #	Hits	Search Text	DBs
28	BRS	L30	7	29 and variat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
29	BRS	L31	2	14 and ((correct\$4 near4 parameter\$4) same (variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
30	BRS	L32	63	2 and ((correct\$4 near4 parameter\$4) same (variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
31	BRS	L33	57	32 and (output\$4 or display\$4 or monitor\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
32	BRS	L34	2	33 and (road adj shape or road-shape)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
33	BRS	L35	4	(road-shape or road adj shape) and ((correct\$4 near4 parameter\$4) same (variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
34	BRS	L36	169	((detect\$4) near5 (lane-marker or lane adj marker))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
35	BRS	L37	1	36 and (((calculat\$4 or comput\$4) near4 (variati\$4) near4 (parameter\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
36	BRS	L38	2	36 and (((calculat\$4 or comput\$4) same (variati\$4) near4 (parameter\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB

	Type	L #	Hits	Search Text	DBs
37	BRS	L39	3089	((calculat\$4 or comput\$4) same (variat\$4) near4 (parameter\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
38	BRS	L40	159	1 and 39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
39	BRS	L41	1	40 and (lane-marker or lane adj marker)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
40	BRS	L42	1	40 and (lan\$4 near4 recogni\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
41	BRS	L43	34	40 and (correct\$4 near4 parameter\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
42	BRS	L44	2	43 and (road-shape or road adj shape)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
43	BRS	L45	2	43 and (camera\$4 or video\$4 or CCD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
44	BRS	L46	2	45 and (road-shape or road adj shape)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB



Welcome
United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)

Quick Links

>> Se,

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
☐ Basic
☐ Advanced
☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

WE

- Access the
FREE Enterprise
File Cabinet

 **Print Format**

Your search matched **27** of **1094442** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

lan* <and> recogni* <and> vehicl* <and> camera* <and>

Search

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 A survey on visual surveillance of object motion and behaviors

Weiming Hu; Tieniu Tan; Liang Wang; Maybank, S.;

Systems, Man and Cybernetics, Part C, IEEE Transactions on , Volume: 34 , Is
3 , Aug. 2004

Pages:334 - 352

[\[Abstract\]](#) [\[PDF Full-Text \(320 KB\)\]](#) **IEEE JNL**

2 Real time vision for intelligent vehicles

Gavrila, D.M.; Franke, U.; Wohler, C.; Gorzig, S.;

Instrumentation & Measurement Magazine, IEEE , Volume: 4 , Issue: 2 , June

Pages:22 - 27

[\[Abstract\]](#) [\[PDF Full-Text \(1124 KB\)\]](#) **IEEE JNL**

3 Trapper: eliminating performance bottlenecks in a parallel embedded application

Heinze, F.; Schafers, L.; Scheidler, C.; Obeloer, W.;

Concurrency, IEEE [see also IEEE Parallel & Distributed Technology] , Volume 5, Issue: 3, July-Sept. 1997

Pages:28 - 37

[\[Abstract\]](#) [\[PDF Full-Text \(1068 KB\)\]](#) **IEEE JNL**

4 Position estimation for an autonomous mobile robot in an outdoor environment

Talluri, R.; Aggarwal, J.K.;

Robotics and Automation, IEEE Transactions on , Volume: 8 , Issue: 5 , Oct. 1
Pages:573 - 584

[\[Abstract\]](#) [\[PDF Full-Text \(1092 KB\)\]](#) IEEE JNL

5 VITA II-active collision avoidance in real traffic

Ulmer, B.;

Intelligent Vehicles '94 Symposium, Proceedings of the , 24-26 Oct. 1994

Pages:1 - 6

[\[Abstract\]](#) [\[PDF Full-Text \(568 KB\)\]](#) IEEE CNF

6 Recognition of arrows in the environment of road markings

Baghdassarian, C.; Lange, H.; Sahli, H.; Laurgeau, C.;

Intelligent Vehicles '94 Symposium, Proceedings of the , 24-26 Oct. 1994

Pages:219 - 224

[\[Abstract\]](#) [\[PDF Full-Text \(588 KB\)\]](#) IEEE CNF

7 Coupled neural networks for real-time road and obstacle recognition intelligent road vehicles

Tsinas, L.; Graefe, V.;

Neural Networks, 1993. IJCNN '93-Nagoya. Proceedings of 1993 International Conference on , Volume: 3 , 25-29 Oct. 1993

Pages:2081 - 2084 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(316 KB\)\]](#) IEEE CNF

8 A vision navigation algorithm based on linear lane model

Xu Youchun; Wang Rongben; Libing; Ji Shouwen;

Intelligent Vehicles Symposium, 2000. IV 2000. Proceedings of the IEEE , 3-5 2000

Pages:240 - 245

[\[Abstract\]](#) [\[PDF Full-Text \(616 KB\)\]](#) IEEE CNF

9 A study on image processing technology for autonomous vehicle

Kageyama, I.; Sasaki, T.;

Intelligent Vehicles Symposium, 1996., Proceedings of the 1996 IEEE , 19-20 1996

Pages:403 - 408

[\[Abstract\]](#) [\[PDF Full-Text \(336 KB\)\]](#) IEEE CNF

10 Self-location of a mobile robot with uncertainty by cooperation of a heading sensor and a CCD TV camera

Stella, E.; Cicirelli, G.; Distante, A.;

Pattern Recognition, 1996., Proceedings of the 13th International Conference on , Volume: 3 , 25-29 Aug. 1996

Pages:303 - 307 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(428 KB\)\]](#) IEEE CNF

11 Vision and neural control for an orange harvesting robot

Recce, M.; Taylor, J.; Plebe, A.; Tropiano, G.;

Neural Networks for Identification, Control, Robotics, and Signal/Image Processing, 1996. Proceedings., International Workshop on , 21-23 Aug. 1996
Pages:467 - 475

[\[Abstract\]](#) [\[PDF Full-Text \(520 KB\)\]](#) [IEEE CNF](#)

12 Lane detection by using omni-directional camera for outdoor terrain
Ishikawa, K.; Odagiri, K.; Kobayashi, K.; Watanabe, K.;
SICE 2002. Proceedings of the 41st SICE Annual Conference , Volume: 2 , 5-7
2002
Pages:1334 - 1335 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(218 KB\)\]](#) [IEEE CNF](#)

13 Proceedings of 2002 International Conference on Machine Learning Cybernetics (Cat.No.02EX583)

Machine Learning and Cybernetics, 2002. Proceedings. 2002 International Conference on , Volume: 2 , 4-5 Nov. 2002

[\[Abstract\]](#) [\[PDF Full-Text \(1409 KB\)\]](#) [IEEE CNF](#)

14 SNAP&TELL: a multi-modal wearable computer interface for browsing the environment

Keaton, T.; Dominguez, S.M.; Sayed, A.H.;
Wearable Computers, 2002. (ISWC 2002). Proceedings. Sixth International Symposium on , 7-10 Oct. 2002
Pages:75 - 82

[\[Abstract\]](#) [\[PDF Full-Text \(2981 KB\)\]](#) [IEEE CNF](#)

15 Location detection system by an on-board slit camera imaging road surface marks and its application

Kawamata, S.; Ito, N.; Katahara, S.; Aoki, M.;
Intelligent Transportation Systems, 2002. Proceedings. The IEEE 5th International Conference on , 2002
Pages:78 - 83

[\[Abstract\]](#) [\[PDF Full-Text \(585 KB\)\]](#) [IEEE CNF](#)

[1](#) [2](#) [Next](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved